

PVC SCH. 40 Special Radius 90° Elbows cut sheet

Schedule 40 PVC Conduit Elbows are manufactured with rigid Polyvinyl Chloride (PVC) compound according to the specifications of the UL 651 and ASTM D 1784 STANDARD.

- Rated for use with 90-degree C wire.
- UL 651 Listed.
- SUNLIGHT RESISTANT rated according to [UL 651 file number E546229](#).
- Certified for underground and above ground usage.
- For direct burial and encased burial usage.
- Rigid nonmetallic PVC for wires and cables.

Part No.	Description
SCH.40 90° Special Radius 18 Plain End Elbows	
PE10U90R18	1" PVC SCH40 90D 18R Conduit Elbow
PE11U90R18	1-1/4" PVC SCH40 90D 18R Conduit Elbow
PE12U90R18	1-1/2" PVC SCH40 90D 18R Conduit Elbow
PE20U90R18	2" PVC SCH40 90D 18R Conduit Elbow
PE21U90R18	2-1/2" PVC SCH40 90D 18R Conduit Elbows
PE30U90R18	3" PVC SCH40 90D 18R Conduit Elbow
SCH.40 90° Special Radius 24 Plain End Elbows	
PE10U90R24	1" PVC SCH40 90D 24R Conduit Elbow
PE11U90R24	1-1/4" PVC SCH40 90D 24R Conduit Elbow
PE12U90R24	1-1/2" PVC SCH40 90D 24R Conduit Elbow
PE20U90R24	2" PVC SCH40 90D 24R Conduit Elbow
PE21U90R24	2-1/2" PVC SCH40 90D 24R Conduit Elbow
PE30U90R24	3" PVC SCH40 90D 24R Conduit Elbow
PE31U90R24	3-1/2" PVC SCH40 90D 24R Conduit Elbow
PE40U90R24	4" PVC SCH40 90D 24R Conduit Elbow
SCH.40 90° Special Radius 36 Plain End Elbows	
PE10U90R36	1" PVC SCH40 90D 36R Conduit Elbow
PE11U90R36	1-1/4" PVC SCH40 90D 36R Conduit Elbow
PE12U90R36	1-1/2" PVC SCH40 90D 36R Conduit Elbow
PE20U90R36	2" PVC SCH40 90D 36R Conduit Elbow
PE21U90R36	2-1/2" PVC SCH40 90D 36R Conduit Elbow
PE30U90R36	3" PVC SCH40 90D 36R Conduit Elbow
PE31U90R36	3-1/2" PVC SCH40 90D 36R Conduit Elbow
PE40U90R36	4" PVC SCH40 90D 36R Conduit Elbow
PE50U90R36	5" PVC SCH40 90D 36R Conduit Elbow
PE60U90R36	6" PVC SCH40 90D 36R Conduit Elbow
PE80U90R36	8" PVC SCH40 90D 36R Conduit Elbow
SCH.40 90° Special Radius 48 Plain End Elbows	
PE10U90R48	1" PVC SCH40 90D 48R Conduit Elbow
PE11U90R48	1-1/4" PVC SCH40 90D 48R Conduit Elbow
PE12U90R48	1-1/2" PVC SCH40 90D 48R Conduit Elbow
PE20U90R48	2" PVC SCH40 90D 48R Conduit Elbow
PE21U90R48	2-1/2" PVC SCH40 90D 48R Conduit Elbow
PE30U90R48	3" PVC SCH40 90D 48R Conduit Elbow
PE31U90R48	3-1/2" PVC SCH40 90D 48R Conduit Elbow
PE40U90R48	4" PVC SCH40 90D 48R Conduit Elbow
PE50U90R48	5" PVC SCH40 90D 48R Conduit Elbow
PE60U90R48	6" PVC SCH40 90D 48R Conduit Elbow
PE80U90R48	8" PVC SCH40 90D 48R Conduit Elbow
SCH.40 90° Special Radius 60 Plain End Elbows	
PE20U90R60	2" PVC SCH40 90D 60R Conduit Elbow
PE21U90R60	2-1/2" PVC SCH40 90D 60R Conduit Elbow
PE30U90R60	3" PVC SCH40 90D 60R Conduit Elbow
PE31U90R60	3-1/2" PVC SCH40 90D 60R Conduit Elbow
PE40U90R60	4" PVC SCH40 90D 60R Conduit Elbow
PE50U90R60	5" PVC SCH40 90D 60R Conduit Elbow
PE60U90R60	6" PVC SCH40 90D 60R Conduit Elbow
PE80U90R60	8" PVC SCH40 90D 60R Conduit Elbow

U.S. Headquarters

8750 NW 36th Street, Suite 450
Doral, Florida 33178

sales@alvapvc.com
+1-561-421-1868

www.alva-mfg.com
@alvapvc

PVC SCH. 40 Special Radius 45° Elbows cut sheet

Schedule 40 PVC Conduit Elbows are manufactured with rigid Polyvinyl Chloride (PVC) compound according to the specifications of the UL 651 and ASTM D 1784 STANDARD.

- Rated for use with 90-degree C wire.
- UL 651 Listed.
- SUNLIGHT RESISTANT rated according to [UL 651 file number E546229](#).
- Certified for underground and above ground usage.
- For direct burial and encased burial usage.
- Rigid nonmetallic PVC for wires and cables.



Part No.	Description
SCH.40 45° Special Radius 18 Plain End Elbows	
PE10U45R18	1" PVC SCH40 45D 18R Conduit Elbow
PE11U45R18	1-1/4" PVC SCH40 45D 18R Conduit Elbow
PE12U45R18	1-1/2" PVC SCH40 45D 18R Conduit Elbow
PE20U45R18	2" PVC SCH40 45D 18R Conduit Elbow
PE21U45R18	2-1/2" PVC SCH40 45D 18R Conduit Elbow
PE30U45R18	3" PVC SCH40 45D 18R Conduit Elbow
SCH.40 45° Special Radius 24 Plain End Elbows	
PE10U45R24	1" PVC SCH40 45D 24R Conduit Elbow
PE11U45R24	1-1/4" PVC SCH40 45D 24R Conduit Elbow
PE12U45R24	1-1/2" PVC SCH40 45D 24R Conduit Elbow
PE20U45R24	2" PVC SCH40 45D 24R Conduit Elbow
PE21U45R24	2-1/2" PVC SCH40 45D 24R Conduit Elbow
PE30U45R24	3" PVC SCH40 45D 24R Conduit Elbow
PE31U45R24	3-1/2" PVC SCH40 45D 24R Conduit Elbow
PE40U45R24	4" PVC SCH40 45D 24R Conduit Elbow
SCH.40 45° Special Radius 36 Plain End Elbows	
PE10U45R36	1" PVC SCH40 45D 36R Conduit Elbow
PE11U45R36	1-1/4" PVC SCH40 45D 36R Conduit Elbow
PE12U45R36	1-1/2" PVC SCH40 45D 36R Conduit Elbow
PE20U45R36	2" PVC SCH40 45D 36R Conduit Elbow
PE21U45R36	2-1/2" PVC SCH40 45D 36R Conduit Elbow
PE30U45R36	3" PVC SCH40 45D 36R Conduit Elbow
PE31U45R36	3-1/2" PVC SCH40 45D 36R Conduit Elbow
PE40U45R36	4" PVC SCH40 45D 36R Conduit Elbow
PE50U45R36	5" PVC SCH40 45D 36R Conduit Elbow
PE60U45R36	6" PVC SCH40 45D 36R Conduit Elbow
PE80U45R36	8" PVC SCH40 45D 36R Conduit Elbow
SCH.40 45° Special Radius 48 Plain End Elbows	
PE10U45R48	1" PVC SCH40 45D 48R Conduit Elbow
PE11U45R48	1-1/4" PVC SCH40 45D 48R Conduit Elbow
PE12U45R48	1-1/2" PVC SCH40 45D 48R Conduit Elbow
PE20U45R48	2" PVC SCH40 45D 48R Conduit Elbow
PE21U45R48	2-1/2" PVC SCH40 45D 48R Conduit Elbow
PE30U45R48	3" PVC SCH40 45D 48R Conduit Elbow
PE31U45R48	3-1/2" PVC SCH40 45D 48R Conduit Elbow
PE40U45R48	4" PVC SCH40 45D 48R Conduit Elbow
PE50U45R48	5" PVC SCH40 45D 48R Conduit Elbow
PE60U45R48	6" PVC SCH40 45D 48R Conduit Elbow
PE80U45R48	8" PVC SCH40 45D 48R Conduit Elbow
SCH.40 45° Special Radius 60 Plain End Elbows	
PE20U45R60	2" PVC SCH40 45D 60R Conduit Elbow
PE21U45R60	2-1/2" PVC SCH40 45D 60R Conduit Elbow
PE30U45R60	3" PVC SCH40 45D 60R Conduit Elbow
PE31U45R60	3-1/2" PVC SCH40 45D 60R Conduit Elbow
PE40U45R60	4" PVC SCH40 45D 60R Conduit Elbow
PE50U45R60	5" PVC SCH40 45D 60R Conduit Elbow
PE60U45R60	6" PVC SCH40 45D 60R Conduit Elbow
PE80U45R60	8" PVC SCH40 45D 60R Conduit Elbow

U.S. Headquarters

8750 NW 36th Street, Suite 450
Doral, Florida 33178

sales@alvapvc.com
+1-561-421-1868

www.alva-mfg.com
@alvapvc

PVC SCH. 40 Special Radius 30° Elbows cut sheet

Schedule 40 PVC Conduit Elbows are manufactured with rigid Polyvinyl Chloride (PVC) compound according to the specifications of the UL 651 and ASTM D 1784 STANDARD.

- Rated for use with 90-degree C wire.
- UL 651 Listed.
- SUNLIGHT RESISTANT rated according to [UL 651 file number E546229](#).
- Certified for underground and above ground usage.
- For direct burial and encased burial usage.
- Rigid nonmetallic PVC for wires and cables.



Part No.	Description
SCH.40 30° Special Radius 18 Plain End Elbows	
PE10U30R18	1" PVC SCH40 30D 18R Conduit Elbow
PE11U30R18	1-1/4" PVC SCH40 30D 18R Conduit Elbow
PE12U30R18	1-1/2" PVC SCH40 30D 18R Conduit Elbow
PE20U30R18	2" PVC SCH40 30D 18R Conduit Elbow
PE21U30R18	2-1/2" PVC SCH40 30D 18R Conduit Elbow
PE30U30R18	3" PVC SCH40 30D 18R Conduit Elbow
SCH.40 30° Special Radius 24 Plain End Elbows	
PE10U30R24	1" PVC SCH40 30D 24R Conduit Elbow
PE11U30R24	1-1/4" PVC SCH40 30D 24R Conduit Elbow
PE12U30R24	1-1/2" PVC SCH40 30D 24R Conduit Elbow
PE20U30R24	2" PVC SCH40 30D 24R Conduit Elbow
PE21U30R24	2-1/2" PVC SCH40 30D 24R Conduit Elbow
PE30U30R24	3" PVC SCH40 30D 24R Conduit Elbow
PE31U30R24	3-1/2" PVC SCH40 30D 24R Conduit Elbow
PE40U30R24	4" PVC SCH40 30D 24R Conduit Elbow
SCH.40 30° Special Radius 36 Plain End Elbows	
PE10U30R36	1" PVC SCH40 30D 36R Conduit Elbow
PE11U30R36	1-1/4" PVC SCH40 30D 36R Conduit Elbow
PE12U30R36	1-1/2" PVC SCH40 30D 36R Conduit Elbow
PE20U30R36	2" PVC SCH40 30D 36R Conduit Elbow
PE21U30R36	2-1/2" PVC SCH40 30D 36R Conduit Elbow
PE30U30R36	3" PVC SCH40 30D 36R Conduit Elbow
PE31U30R36	3-1/2" PVC SCH40 30D 36R Conduit Elbow
PE40U30R36	4" PVC SCH40 30D 36R Conduit Elbow
PE50U30R36	5" PVC SCH40 30D 36R Conduit Elbow
PE60U30R36	6" PVC SCH40 30D 36R Conduit Elbow
PE80U30R36	8" PVC SCH40 30D 36R Conduit Elbow
SCH.40 30° Special Radius 48 Plain End Elbows	
PE10U30R48	1" PVC SCH40 30D 48R Conduit Elbow
PE11U30R48	1-1/4" PVC SCH40 30D 48R Conduit Elbow
PE12U30R48	1-1/2" PVC SCH40 30D 48R Conduit Elbow
PE20U30R48	2" PVC SCH40 30D 48R Conduit Elbow
PE21U30R48	2-1/2" PVC SCH40 30D 48R Conduit Elbow
PE30U30R48	3" PVC SCH40 30D 48R Conduit Elbow
PE31U30R48	3-1/2" PVC SCH40 30D 48R Conduit Elbow
PE40U30R48	4" PVC SCH40 30D 48R Conduit Elbow
PE50U30R48	5" PVC SCH40 30D 48R Conduit Elbow
PE60U30R48	6" PVC SCH40 30D 48R Conduit Elbow
PE80U30R48	8" PVC SCH40 30D 48R Conduit Elbow
SCH.40 30° Special Radius 60 Plain End Elbows	
PE20U30R60	2" PVC SCH40 30D 60R Conduit Elbow
PE21U30R60	2-1/2" PVC SCH40 30D 60R Conduit Elbow
PE30U30R60	3" PVC SCH40 30D 60R Conduit Elbow
PE31U30R60	3-1/2" PVC SCH40 30D 60R Conduit Elbow
PE40U30R60	4" PVC SCH40 30D 60R Conduit Elbow
PE50U30R60	5" PVC SCH40 30D 60R Conduit Elbow
PE60U30R60	6" PVC SCH40 30D 60R Conduit Elbow
PE80U30R60	8" PVC SCH40 30D 60R Conduit Elbow

U.S. Headquarters

8750 NW 36th Street, Suite 450
Doral, Florida 33178

sales@alvapvc.com
+1-561-421-1868

www.alva-mfg.com
@alvapvc

PVC SCH. 40 Special Radius 22.5° Elbows **cut sheet**

Schedule 40 PVC Conduit Elbows are manufactured with rigid Polyvinyl Chloride (PVC) compound according to the specifications of the UL 651 and ASTM D 1784 STANDARD.

- Rated for use with 90-degree C wire.
- UL 651 Listed.
- SUNLIGHT RESISTANT rated according to [UL 651 file number E546229](#).
- Certified for underground and above ground usage.
- For direct burial and encased burial usage.
- Rigid nonmetallic PVC for wires and cables.



Part No.	Description
SCH.40 22.50° Special Radius 18 Plain End Elbows	
PE10U22R18	1" PVC SCH40 22.5D 18R Conduit Elbow
PE11U22R18	1-1/4" PVC SCH40 22.5D 18R Conduit Elbow
PE12U22R18	1-1/2" PVC SCH40 22.5D 18R Conduit Elbow
PE20U22R18	2" PVC SCH40 22.5D 18R Conduit Elbow
PE21U22R18	2-1/2" PVC SCH40 22.5D 18R Conduit Elbow
PE30U22R18	3" PVC SCH40 22.5D 18R Conduit Elbow
SCH.40 22.50° Special Radius 24 Plain End Elbows	
PE10U22R24	1" PVC SCH40 22.5D 24R Conduit Elbow
PE11U22R24	1-1/4" PVC SCH40 22.5D 24R Conduit Elbow
PE12U22R24	1-1/2" PVC SCH40 22.5D 24R Conduit Elbow
PE20U22R24	2" PVC SCH40 22.5D 24R Conduit Elbow
PE21U22R24	2-1/2" PVC SCH40 22.5D 24R Conduit Elbow
PE30U22R24	3" PVC SCH40 22.5D 24R Conduit Elbow
PE31U22R24	3-1/2" PVC SCH40 22.5D 24R Conduit Elbow
PE40U22R24	4" PVC SCH40 22.5D 24R Conduit Elbow
SCH.40 22.50° Special Radius 36 Plain End Elbows	
PE10U22R36	1" PVC SCH40 22.5D 36R Conduit Elbow
PE11U22R36	1-1/4" PVC SCH40 22.5D 36R Conduit Elbow
PE12U22R36	1-1/2" PVC SCH40 22.5D 36R Conduit Elbow
PE20U22R36	2" PVC SCH40 22.5D 36R Conduit Elbow
PE21U22R36	2-1/2" PVC SCH40 22.5D 36R Conduit Elbow
PE30U22R36	3" PVC SCH40 22.5D 36R Conduit Elbow
PE31U22R36	3-1/2" PVC SCH40 22.5D 36R Conduit Elbow
PE40U22R36	4" PVC SCH40 22.5D 36R Conduit Elbow
PE50U22R36	5" PVC SCH40 22.5D 36R Conduit Elbow
PE60U22R36	6" PVC SCH40 22.5D 36R Conduit Elbow
PE80U22R36	8" PVC SCH40 22.5D 36R Conduit Elbow
SCH.40 22.50° Special Radius 48 Plain End Elbows	
PE10U22R48	1" PVC SCH40 22.5D 48R Conduit Elbow
PE11U22R48	1-1/4" PVC SCH40 22.5D 48R Conduit Elbow
PE12U22R48	1-1/2" PVC SCH40 22.5D 48R Conduit Elbow
PE20U22R48	2" PVC SCH40 22.5D 48R Conduit Elbow
PE21U22R48	2-1/2" PVC SCH40 22.5D 48R Conduit Elbow
PE30U22R48	3" PVC SCH40 22.5D 48R Conduit Elbow
PE31U22R48	3-1/2" PVC SCH40 22.5D 48R Conduit Elbow
PE40U22R48	4" PVC SCH40 22.5D 48R Conduit Elbow
PE50U22R48	5" PVC SCH40 22.5D 48R Conduit Elbow
PE60U22R48	6" PVC SCH40 22.5D 48R Conduit Elbow
PE80U22R48	8" PVC SCH40 22.5D 48R Conduit Elbow
SCH.40 22.50° Special Radius 60 Plain End Elbows	
PE20U22R60	2" PVC SCH40 22.5D 60R Conduit Elbow
PE21U22R60	2-1/2" PVC SCH40 22.5D 60R Conduit Elbow
PE30U22R60	3" PVC SCH40 22.5D 60R Conduit Elbow
PE31U22R60	3-1/2" PVC SCH40 22.5D 60R Conduit Elbow
PE40U22R60	4" PVC SCH40 22.5D 60R Conduit Elbow
PE50U22R60	5" PVC SCH40 22.5D 60R Conduit Elbow
PE60U22R60	6" PVC SCH40 22.5D 60R Conduit Elbow
PE80U22R60	8" PVC SCH40 22.5D 60R Conduit Elbow

U.S. Headquarters

8750 NW 36th Street, Suite 450
Doral, Florida 33178

sales@alvapvc.com
+1-561-421-1868

www.alva-mfg.com
@alvapvc

PVC SCH. 40 Special Radius 90° Bell End Elbows **cut sheet**

Schedule 40 PVC Conduit Elbows are manufactured with rigid Polyvinyl Chloride (PVC) compound according to the specifications of the UL 651 and ASTM D 1784 STANDARD.

- Rated for use with 90-degree C wire.
- UL 651 Listed.
- SUNLIGHT RESISTANT rated according to [UL 651 file number E546229](#).
- Certified for underground and above ground usage.
- For direct burial and encased burial usage.
- Rigid nonmetallic PVC for wires and cables.

Part No.	Description
SCH.40 90° Special Radius 18 Bell End Elbows	
PE10U90R18BE	1" PVC SCH40 90D 18R Conduit Elbow Bell End
PE11U90R18BE	1-1/4" PVC SCH40 90D 18R Conduit Elbow Bell End
PE12U90R18BE	1-1/2" PVC SCH40 90D 18R Conduit Elbow Bell End
PE20U90R18BE	2" PVC SCH40 90D 18R Conduit Elbow Bell End
PE21U90R18BE	2-1/2" PVC SCH40 90D 18R Conduit Elbow Bell End
PE30U90R18BE	3" PVC SCH40 90D 18R Conduit Elbow Bell End
SCH.40 90° Special Radius 24 Bell End Elbows	
PE10U90R24BE	1" PVC SCH40 90D 24R Conduit Elbow Bell End
PE11U90R24BE	1-1/4" PVC SCH40 90D 24R Conduit Elbow Bell End
PE12U90R24BE	1-1/2" PVC SCH40 90D 24R Conduit Elbow Bell End
PE20U90R24BE	2" PVC SCH40 90D 24R Conduit Elbow Bell End
PE21U90R24BE	2-1/2" PVC SCH40 90D 24R Conduit Elbow Bell End
PE30U90R24BE	3" PVC SCH40 90D 24R Conduit Elbow Bell End
PE31U90R24BE	3-1/2" PVC SCH40 90D 24R Conduit Elbow Bell End
PE40U90R24BE	4" PVC SCH40 90D 24R Conduit Elbow Bell End
SCH.40 90° Special Radius 36 Bell End Elbows	
PE10U90R36BE	1" PVC SCH40 90D 36R Conduit Elbow Bell End
PE11U90R36BE	1-1/4" PVC SCH40 90D 36R Conduit Elbow Bell End
PE12U90R36BE	1-1/2" PVC SCH40 90D 36R Conduit Elbow Bell End
PE20U90R36BE	2" PVC SCH40 90D 36R Conduit Elbow Bell End
PE21U90R36BE	2-1/2" PVC SCH40 90D 36R Conduit Elbow Bell End
PE30U90R36BE	3" PVC SCH40 90D 36R Conduit Elbow Bell End
PE31U90R36BE	3-1/2" PVC SCH40 90D 36R Conduit Elbow Bell End
PE40U90R36BE	4" PVC SCH40 90D 36R Conduit Elbow Bell End
PE50U90R36BE	5" PVC SCH40 90D 36R Conduit Elbow Bell End
PE60U90R36BE	6" PVC SCH40 90D 36R Conduit Elbow Bell End
SCH.40 90° Special Radius 48 Bell End Elbows	
PE10U90R48BE	1" PVC SCH40 90D 48R Conduit Elbow Bell End
PE11U90R48BE	1-1/4" PVC SCH40 90D 48R Conduit Elbow Bell End
PE12U90R48BE	1-1/2" PVC SCH40 90D 48R Conduit Elbow Bell End
PE20U90R48BE	2" PVC SCH40 90D 48R Conduit Elbow Bell End
PE21U90R48BE	2-1/2" PVC SCH40 90D 48R Conduit Elbow Bell End
PE30U90R48BE	3" PVC SCH40 90D 48R Conduit Elbow Bell End
PE31U90R48BE	3-1/2" PVC SCH40 90D 48R Conduit Elbow Bell End
PE40U90R48BE	4" PVC SCH40 90D 48R Conduit Elbow Bell End
PE50U90R48BE	5" PVC SCH40 90D 48R Conduit Elbow Bell End
PE60U90R48BE	6" PVC SCH40 90D 48R Conduit Elbow Bell End

U.S. Headquarters

8750 NW 36th Street, Suite 450
Doral, Florida 33178

sales@alvapvc.com
+1-561-421-1868

www.alva-mfg.com
@alvapvc

PVC SCH. 40 Special Radius 45° Bell End Elbows **cut sheet**

Schedule 40 PVC Conduit Elbows are manufactured with rigid Polyvinyl Chloride (PVC) compound according to the specifications of the UL 651 and ASTM D 1784 STANDARD.

- Rated for use with 90-degree C wire.
- UL 651 Listed.
- SUNLIGHT RESISTANT rated according to [UL 651 file number E546229](#).
- Certified for underground and above ground usage.
- For direct burial and encased burial usage.
- Rigid nonmetallic PVC for wires and cables.



Part No.	Description
SCH.40 45° Special Radius 18 Bell End Elbows	
PE10U45R18BE	1" PVC SCH40 45D 18R Conduit Elbow Bell End
PE11U45R18BE	1-1/4" PVC SCH40 45D 18R Conduit Elbow Bell End
PE12U45R18BE	1-1/2" PVC SCH40 45D 18R Conduit Elbow Bell End
PE20U45R18BE	2" PVC SCH40 45D 18R Conduit Elbow Bell End
PE21U45R18BE	2-1/2" PVC SCH40 45D 18R Conduit Elbow Bell End
PE30U45R18BE	3" PVC SCH40 45D 18R Conduit Elbow Bell End
SCH.40 45° Special Radius 24 Bell End Elbows	
PE10U45R24BE	1" PVC SCH40 45D 24R Conduit Elbow Bell End
PE11U45R24BE	1-1/4" PVC SCH40 45D 24R Conduit Elbow Bell End
PE12U45R24BE	1-1/2" PVC SCH40 45D 24R Conduit Elbow Bell End
PE20U45R24BE	2" PVC SCH40 45D 24R Conduit Elbow Bell End
PE21U45R24BE	2-1/2" PVC SCH40 45D 24R Conduit Elbow Bell End
PE30U45R24BE	3" PVC SCH40 45D 24R Conduit Elbow Bell End
PE31U45R24BE	3-1/2" PVC SCH40 45D 24R Conduit Elbow Bell End
PE40U45R24BE	4" PVC SCH40 45D 24R Conduit Elbow Bell End
SCH.40 45° Special Radius 36 Bell End Elbows	
PE10U45R36BE	1" PVC SCH40 45D 36R Conduit Elbow Bell End
PE11U45R36BE	1-1/4" PVC SCH40 45D 36R Conduit Elbow Bell End
PE12U45R36BE	1-1/2" PVC SCH40 45D 36R Conduit Elbow Bell End
PE20U45R36BE	2" PVC SCH40 45D 36R Conduit Elbow Bell End
PE21U45R36BE	2-1/2" PVC SCH40 45D 36R Conduit Elbow Bell End
PE30U45R36BE	3" PVC SCH40 45D 36R Conduit Elbow Bell End
PE31U45R36BE	3-1/2" PVC SCH40 45D 36R Conduit Elbow Bell End
PE40U45R36BE	4" PVC SCH40 45D 36R Conduit Elbow Bell End
PE50U45R36BE	5" PVC SCH40 45D 36R Conduit Elbow Bell End
PE60U45R36BE	6" PVC SCH40 45D 36R Conduit Elbow Bell End
SCH.40 45° Special Radius 48 Bell End Elbows	
PE10U45R48BE	1" PVC SCH40 45D 48R Conduit Elbow Bell End
PE11U45R48BE	1-1/4" PVC SCH40 45D 48R Conduit Elbow Bell End
PE12U45R48BE	1-1/2" PVC SCH40 45D 48R Conduit Elbow Bell End
PE20U45R48BE	2" PVC SCH40 45D 48R Conduit Elbow Bell End
PE21U45R48BE	2-1/2" PVC SCH40 45D 48R Conduit Elbow Bell End
PE30U45R48BE	3" PVC SCH40 45D 48R Conduit Elbow Bell End
PE31U45R48BE	3-1/2" PVC SCH40 45D 48R Conduit Elbow Bell End
PE40U45R48BE	4" PVC SCH40 45D 48R Conduit Elbow Bell End
PE50U45R48BE	5" PVC SCH40 45D 48R Conduit Elbow Bell End
PE60U45R48BE	6" PVC SCH40 45D 48R Conduit Elbow Bell End

U.S. Headquarters

8750 NW 36th Street, Suite 450
Doral, Florida 33178

sales@alvapvc.com
+1-561-421-1868

www.alva-mfg.com
@alvapvc